



---- 48V RECESSED SYSTEM-




LED LINEAR LIGHTING SOLUTION PROVIDER







System Overview

Installation Spotlights






Linear Lights



Decorative Lights



System components


Trim-less recessed

Base




Module







Installation methods



HOLA T







Installation methods


Recessed

HOLA





HOLA T





Surface mounted

HOLA T





Split Design


Easy Installation



Easy maintenance







Standardized Interface


Thanks to standardized interface, HOLA & HOLA T allows different modules to integrate into one system. In the future, there will be more kinds of modules included so as to bring more possibilities for space and users.

HOLA




HOLA T

Easy Installation



Installation




Removal




Note: The insertion and removal of the base and lighting module shall not exceed 50 times.

Easy Access To Electricity



Diversified Styling


HOLA & HOLA T relies on base as carrier of light modules, which can be adjusted at will for any design and styling while not affected by space and shapes of carrier.





Smart Control

Support various smart control solutions, including non-dimming, DALI2 + Push, Tuya, Casambi for choose at will.









Product Overview

HOLA

Decorative Lights Linear Lights Spotlights HM40S-30(N) HS40I-30 HM40S-42(N) HS40I-50 HM40CD HM40FD HM40GW HM40S-52(N) HS40IJ-30 HM40FP HM40S-62(N) HS40IW-40 HM40G HM40LA HM40SS-55 HM40LS HM40SZ-45(N) HM40SZ-55(N) HS40IB-110 HS40FD HS40FP HM40IB-110 HM40SZ-65(N) HR40S-29 HS40G HH40FD HH40FP

HM40NK

HH40G

Product Overview

HOLA T

Decorative Lights Linear Lights Spotlights HTM53SL-30 HTM53SL-42 HTS53IL-30 HTS53IL-50 HTM53WG HTM53CD HTM53SL-52 HTM53SL-62 HTS53IJ-30 HTM53FP HTM53GG HTS53AL-40 HTM53FS HTM53SZ-45 HTM53SZ-55 HTM53UB-55 HTS53BD-110 HTS53FD HTM53SZ-65 HTM53BD-110 HTS53GG HTS53HD







HTS53HP

HTM53FD


HTM53FA

HTS53FP

HTS53HG HTM53NK-25


Remote dimming

Adjust settings for lights remotely via APP




Timing&Delay Time

Set when to power on/off Make light in tune with your daily rhythm




Soft Start

Set light to darken or brighten gradually A buffer for your eyes




Light Scene

4 scenes, cater to your personal needs




Default Light


Customize your lighting preference



Do Not Disturb

Avoid sudden auto re-start after power outrage






Extremely compact invisible on ceiling

Ø29mm only, recessed to fit perfectly with ceiling






Multiple sizes precise light control

Professional optics, precise light control, 15、24、36、50degrees and other specifications
Ø30/42/52/62mm various sizes optional






Knob zooming flexible light spot


Flexibly adjust size of light spot Ø45/55/65mm various sizes available








Multiple Optics Optional



355° luminous, free rotation

355° round luminous surface Free rotation, flexible styling






355° luminous

±355° free rotation

Free combination





Long-distance uniform wall washing

Effective washing distance is 2-3m, main lumen is about 500lx Uniformity of illuminance within 2m is more than 0.8.







0.5m away from wall 0.8m away

0.8m away from wall

1m away from wall








Ultra-slim linear luminaire

22.5mm thick, 23mm luminous surface
Ultimate design, ultra-slim but highly-efficient




1204/1504/1804/2404mm






Up & down-lighting luminaire

Functional lighting and meanwhile foiling atmosphere








Round Neon Light






Hovering Light


All pendant light can upgrade to hovering version Hovering at any place you want



Hovering power feeder









Sunset Light

High-transmission lens, built-in high-brightness COB led, rendering the true color.

Arbitrary bending, satisfy lighting needs of any angle.






Waterdrop Light

Compact and delicate, focus light spot.






Round Tube Pendant Light

360° uniform light without dark area



Ø30mm Pendant Light

Al6063 aluminum lamp body Good in anti-corrosion, efficient heat dissipation.



Ø50mm Pendant Light

Al6063 aluminum lamp body Good in anti-corrosion, efficient heat dissipation.







Tel:+86-755-2923-1888 Email:china@colorsled.com Website: www.colorsled.com

Address: 17F, Building B, No.2, Skyworth New Valley North,

Shiyan, Bao'an District, Shenzhen, China