

Aluminum accessory Specification

AS-NMT1312A-25

AS-NMT1312A-1000

AS-NMT1312B1-25

AS-NMT1312B1-1000





【Features】



- **Material:** aluminum;
- **Operating environment:** indoor and outdoor;
- **Installation:** screw flat mounting;
- **Cross-sectional size:** AS-NMT1312A: W15.4mm*H14.1mm, AS-NMT1312B1: W14.8mm*H26mm;
- **Warranty:** 6 years.

【Mechanical Parameter】



AS-NMT1312A-25





AS-NMT1312A-1000



AS-NMT1312B1-25



AS-NMT1312B1-1000



[Specification information]

| Describe | Accessories Picture | Order model | Quantity/ case (PCS) | Net weight (kg) | Per box net weight (kg) | Gross weight (kg) | Packages (mm) | Range of applications |
|---|---------------------|-------------------|----------------------------|-----------------------|----------------------------------|-------------------------|------------------|--|
| Flat mounting aluminum groove | | AS-NMT1312A-1000 | 60 | 0.1453 | 8.8 | 9.9 | 1180*125*115 | suit to:AFT1312/AHT1312/ ANT1312/NMT1312/ AFT1312U/AHT1312U/NMT1312U |
| Flat mounting of clip | | AS-NMT1312A-25 | 450 | 0.0058 | 2.61 | 2.91 | 250*250*150 | suit to:AFT1312/AHT1312/ ANT1312/NMT1312/ AFT1312U/AHT1312U/NMT1312U |
| Aluminum groove with reserved wire outlet | | AS-NMT1312B1-1000 | 64 | 0.1513 | 9.1 | 10.2 | 1180*125*115 | suit to:AFT1312/AHT1312/ ANT1312/NMT1312/ AFT1312U/AHT1312U/NMT1312U |
| clip with reserved wire outlet | | AS-NMT1312B1-25 | 300 | 0.0061 | 2.745 | 3.045 | 250*250*150 | suit to:AFT1312/AHT1312/ ANT1312/NMT1312/ AFT1312U/AHT1312U/NMT1312U |

[Precautions]

- Do not use any acid or alkaline adhesive to fix products(including not limited to glass cement,etc).
- Please use professional cutting tools when cutting.