



TPU wire Specification

AS-WS-0037

AS-WS-0038




【Features】


Picture	Model	Material	Termination Points	Wire Size	Outer Diameter	Wire Length	Appearance Color	IP
	AS-WS-0037	TPU	2PIN	20AWG(Red/Black)	φ5mm	500mm	White	IP68
	AS-WS-0038	TPU	2PIN	20AWG(Red/Black)	φ5mm	2000mm	White	IP68

【Mechanical Parameter】



AS-WS-0037



AS-WS-0038



【Specification Information】

Description	Accessories Picture	Order model	Quantity/ case (PCS)	Net weight (kg)	Per box net weight (kg)	Gross weight (kg)	Packages (mm)	Compatible products
2P TPU wire (0.5m)		AS-WS-0037	200	0.018	3.6	4.1	250*250*150	Suitable for AW neon single color strip
2P TPU wire (2m)		AS-WS-0038	50	0.072	3.6	4.1	250*250*150	Suitable for AW neon single color strip

【Precautions】

- TPU wires need to be used with COLORS AW neon strip.
- For underwater wiring, a IP68 waterproof junction box AS-FC-0031 is required.
- Waterproof junction box filled with glue, allow to stand for at least 24 hour after gluing, protection class IP68.